



- 1.Co (II)-1- (2-Pyridylazo)-2-naphthol
- 2.Ni (II)-1- (2-Pyridylazo)-2-naphthol
- 3.Fe (III)-1- (2-Pyridylazo)-2-naphthol
- 4.Zn (II)-1- (2-Pyridylazo)-2-naphthol

Column	: YMC-Pack ODS-AM (5 μ m, 12nm) 150 \times 6.0 mm I.D.
Eluent	: acetonitrile/water (70/30) containig 0.01% PAN and 10mM tetrabutylammonium bromide
Flow rate	: 1.0 mL/min
Temperature	: 30 $^{\circ}$ C
Detection	: VIS at 565 nm, 0.08 AUFS
Injection	: 12 μ L (25~92 μ g/mL)